

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

DEC 29 1971

Date of filing in State Engineer's Office

MAR 15 1972

Returned to applicant for correction

MAY 1 1972

Corrected application filed

MAY 1 1972

Map filed

The applicant Savage Construction, Inc.of P.O. Box 970County of Carson CityState of Nevada 89701

hereby make S application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.) 1964 - State of Nevada

1. The source of the proposed appropriation is Underground

Name of stream, lake or other source.

2. The amount of water applied for is Three (3)

second-feet

One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet

acre-feet

3. The water to be used for Industrial

Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated)

(b) Stockwater (state number and kinds of animals to be watered)

(c) Other use (describe fully under "No. 11. Remarks")

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point: N $\frac{1}{2}$ NW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 8, T.15N.,R.20 E., M.D.B.& M. from which point the NW corner of Said Sec. 8

Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,

bears N 77°13'W 428.8 feet

it should be stated.

6. Place of use Portion of N $\frac{1}{2}$ NW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 8, T. 15 N., R. 20 E., M.D.B.&M.

Describe by legal subdivision, if on unsurveyed land it should be so stated.

7.5 acres7. Use will begin about Jan. 1st and end about Dec. 31st, of each year.

Month

Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Water shall be pumped from underground source & distributed through series of pipe lines.

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9. Estimated cost of works.....\$7,500.00
10. Estimated time required to construct works.....2 years
11. Remarks.....

Readymix, Wash Gravel (Concrete)

Dust Suppression

Applicant.....Savage Const. Inc.

By s/ William J. Johnstone
Agent

Compared.....cmc/jw.....ga/jw.....P.O. Box 80
See Ruling 1878.....Carson City, Nev. 89701

APPROVAL.....OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times. The total combined diversion under this permit and permit 26450 shall not exceed 0.10 cfs and 2.5 million gallons per year.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.10 cubic feet per second, but the total combined diversion under this permit and permit 26450 shall not exceed 0.10 cfs and 2.5 million gallons per year.

Actual construction work shall begin on or before.....June 6, 1973

Proof of commencement of work shall be filed before.....July 6, 1973

Work must be prosecuted with reasonable diligence and be completed on or before.....June 6, 1974

Proof of completion of work shall be filed before.....July 6, 1974

Application of water to beneficial use shall be made on or before.....June 6, 1975

Proof of the application of water to beneficial use shall be filed on or before.....July 6, 1975

Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed.....

Completion of work filed.....

Proof of beneficial use filed.....

Cultural map filed.....

Certificate No.....Issued.....

Recorded.....Bk.....Page.....

County Recorder

IN TESTIMONY WHEREOF, I, ROLAND D. WESTERGARD,
State Engineer of Nevada, have hereunto set my hand and the seal of
my office, this 6th day of December,

A.D. 1972

CANCELLED.....BECAUSE OF FAILURE
OF APPLICANT TO COMPLY WITH THE PROVISIONS OF

STATE ENGINEER